

Universe	Professional
Туре	Verticality
Category	Anchors
Subcategory	Rigging equipment



PAW

Available in three sizes, the PAW rigging plate allows the organizing of the workstation and setup of multi-anchor systems. The hole design allows ropes or slings to be threaded for direct connection. Made of forged aluminum, it offers an excellent strength-to-weight ratio.



The recessed area in the center of the plate makes the markings more durable. Dor/ou Roor/ou Lor/ou

The hole design allows ropes or slings to be threaded for direct connection.

Short Description	Rigging plate		
Selling Points	 For easy organization of the workstation and setup of multi-anchor systems: 19 mm holes allow the locking sleeves of most carabiners to pass through, enabling the carabiner to be rotated hole design allows ropes or slings to be threaded for direct connection. main attachment hole accepts up to three carabiners the odd number of attachment holes enables the system to be centered and balanced up to three users can be connected at the same time Durability: made of forged aluminum for an excellent strength-to-weight ratio durable markings, thanks to the recessed area in the center of the plate Available in three sizes and a black version Two wide auxiliary attachment holes (size L only), compatible with the CONNEXION FIXE and CONNEXION VARIO anchor straps. 		
Specification	 Material(s): aluminum Certification(s): CE, NFPA 1983 General Use 		

Specifications by reference

Reference(s)	G063AA00	G063AA01	G063BA00	G063BA01
			(Contraction of the second sec	
Size	S	S	М	M
Color(s)	yellow	black	yellow	black
Weight	60 g	60 g	180 g	180 g
Breaking strength	36 kN	36 kN	45 kN	45 kN
Made in	IT	IT	IT	IT
Guarantee	3 years	3 years	3 years	3 years
Inner pack count	1	1	1	1
Case quantity	10	10	10	10
EAN	3342540835870	3342540835887	3342540835894	3342540835900

Reference(s)	G063CA00	G063CA01
Size	L	L
Color(s)	yellow	black
Weight	350 g	350 g
Breaking strength	50 kN	50 kN
Made in	IT	IT
Guarantee	3 years	3 years
Inner pack count	1	1
Case quantity	10	10
EAN	3342540836013	3342540836020

Related product(s)

OK Am'D Bm'D OXAN VULCAN SWIVEL CONNEXION FIXE CONNEXION VARIO ANNEAU ST'ANNEAU PUR'ANNEAU

ΟK