



Produktfamilj

Miller Falcon Self-Retracting Lifelines (EUR)

The safest, most robust and comprehensive range of composite retractable lifelines.



Product Numbers &

	1016793	Falcon Webbing SLR 6m, high abrasion resistance webbing
	1016794	Falcon Webbing SLR 6m, high abrasion resistance webbing, Std karabiner/ Scaffold hook
	1016795	Falcon Webbing SLR 6m, high abrasion resistance webbing, 2 std karabiners aluminium
	1016796	Falcon Webbing SLR 6m, high abrasion resistance webbing, Std karabiner/Snap hook aluminium
	1011728	Standard range: Falcon Galvanised Steel Cable SRL 6.2m, load indicator with swivel karabiner at the top and swivel snap hook
	1011729	Standard range: Falcon Stainless Steel Cable SRL 6.2m, load indicator with swivel karabiner at the top and swivel snap hook

Miller Falcon Self-Retracting Lifelines (EUR)

	1011742	Standard range: Falcon Galvanised Steel Cable SRL 10m, load indicator with swivel karabiner at the top and swivel snap hook
	1011743	Standard range: Falcon Stainless Steel Cable SRL 10m, load indicator with swivel karabiner at the top and swivel snap hook
	1011746	Standard range: Falcon Galvanised Steel Cable SRL 15m, load indicator with swivel karabiner at the top and swivel snap hook
	1011747	Standard range: Falcon Stainless Steel Cable SRL 15m, load indicator with swivel karabiner at the top and swivel snap hook
	1011750	Standard range: Falcon Galvanised Steel Cable SRL 20m, load indicator with swivel snap hook and swivel karabiner
	1011751	Standard range: Falcon Stainless Steel Cable SRL 20m, load indicator with swivel karabiner at the top and swivel snap hook
	1011740	Medium range: Falcon Galvanised Steel Cable SRL 6.2m, steel thimble, SST swivel at bottom, w/o karabiner
	1011741	Medium range: Falcon Stainless Steel Cable SRL 6.2m, steel thimble, SST swivel at bottom, w/o karabiner
	1011744	Medium range: Falcon Galvanised Steel Cable SRL 10m, steel thimble, SST swivel at bottom, w/o karabiner
	1011745	Medium range: Falcon Stainless Steel Cable SRL 10m, steel thimble, SST swivel at bottom, w/o karabiner
	1011748	Medium range: Falcon Galvanised Steel Cable SRL 15m, steel thimble, SST swivel at bottom, w/o karabiner
	1011749	Medium range: Falcon Stainless Steel Cable SRL 15m, steel thimble, SST swivel at bottom, w/o karabiner
	1011752	Medium range: Falcon Galvanised Steel Cable SRL 20m, steel thimble, SST swivel at bottom, w/o karabiner

Miller Falcon Self-Retracting Lifelines (EUR)

	1011753	Medium range: Falcon Stainless Steel Cable SRL 20m, steel thimble, SST swivel at bottom, w/o karabiner
	1012433	Eco range: Falcon Galvanised Steel Cable SRL MP 6,2m G Steel Spr. FI w/o karabiner at the top with swivel snap hook
	1012434	Eco range: Falcon Galvanised Steel Cable SRL MP 10m G Steel Spr. FI w/o karabiner at the top with swivel snap hook
	1012436	Eco range: Falcon Galvanised Steel Cable SRL MP 15m G Steel Spr. FI w/o karabiner at the top with swivel snap hook
	1012437	Eco range: Falcon Galvanised Steel Cable SRL MP 20m G Steel Spr. FI w/o karabiner at the top with swivel snap hook
	1028680	Offshore range: Falcon Stainless Steel Cable SRL 6.2m, stainless steel with swivel at the top and swivel snap hook
	1028681	Offshore range: Falcon Stainless Steel Cable SRL 10m, stainless steel with swivel at the top and swivel snap hook
	1028682	Offshore range: Falcon Stainless Steel Cable SRL 15m, stainless steel with swivel at the top and swivel snap hook
	1028683	Offshore range: Falcon Stainless Steel Cable SRL 20m, stainless steel with swivel at the top and swivel snap hook
	1013960	Offshore range: Falcon Stainless Steel Cable SRL 6.2m, stainless steel with swivel snap hook
	1012261	Offshore range: Falcon Stainless Steel Cable SRL 10m, stainless steel with swivel snap hook
	1012262	Offshore range: Falcon Stainless Steel Cable SRL 15m, stainless steel with swivel snap hook
	1012263	Offshore range: Falcon Stainless Steel Cable SRL 20m, stainless steel with swivel snap hook



1017921

Atex range: Falcon Stainless Steel Cable SRL

10m, with swivel snap hook and carabiner with quick braking action, ATEX approved

Översikt

Viktigaste egenskaperna

Features :

- Enhanced safety : the quick-activating braking mechanism stops a fall within centimeters allowing for a quick and safe rescue. A highly visible load indicator identifies that the unit should be removed from service.
- Greater comfort of use : lightweight, with a built-in-handle on the 15 and 20m units, the unit is easy to handle and transport to/from jobsites. The unique side payout design reduces wear on the entry guide and cable and ensures a smooth operation with less resistance.
- Authorized for horizontal use when used with a steel or stainless steel sling

Benefits : this self-retracting lifeline is the ideal fall protection solution for construction, industrial, warehouse, utility, mining and confined space applications. Nearly indestructible with high-impact resistant nylon housing, galvanised or stainless steel cable, integrated fall indicator.

Rekommenderade branscher/rekommenderat användningsområde

- Byggindustri
- Vatten och energi

Risker

- Fall från höga höjder

Föreskrifter

- Conforms to EN360

Garantiinformation

Our state of the art equipment provides the critical tool for worker protection, combining mobility with unsurpassed comfort.

At our ISO 9001 certified manufacturing facilities in Europe, we ensure that every Miller product is made in accordance with the standards and meets your exacting requirements.

Mjukvara för nedladdning

NT90011466 IND H

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/4294994825/1033.aspx

190011466 ind H 29/09/2015-RETRACTABLE INSPECTION SHEET-FEUILLE D'INSPECTION-TRAUKIMO MECHANIZMO PATIKROS LAPAS-TAGASIKERIVA KUKKUMISVASTASE VARUSTUSE LEVAATUSE LEHT-IEVELKAMA PÄRBAUDES LAPA-DOCUMENTO D'ISPEZIONE PERIODICA-PRFPROTOKOLL FR FALCON HHENSICHERUNGSGERTE SICHT-& FUNKTIONSPRFUNG-FICHA DE INSPECCIN DEL RETRACT

Training & Proper Use

Training is an essential part of any safety program. The employer is responsible for ensuring that any person working at height is fully informed regarding the correct use of PPE and systems.

More information about the training...

Teknisk support

Miller Techniserv

Phone: +49 (0) 9281/8302-205

Email: techniservnorth.hsp@honeywell.com