



NLG Ascent™ Carry

Product Code:

101730

Max Load:

100 KG / 220 LBS



OVERVIEW

100kg-rated bag for rope and tool transport. Carry as backpack or haul vertically with load-rated handles. Built for extremes.

<https://neverletgo.com/products/ascent-carry/>



NLG ID™
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party
tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION

The Ascent Carry™ is a highly versatile backpack due to its compact size. It can be comfortably carried as a backpack or easily hauled up the side of a building or rock face by tucking away the backpack straps, removing the waistbelt and utilising the load-rated lifting handles.
 Designed to carry heavy loads, the Ascent Carry™ has a 100kg load rating and can carry rope, tools or materials with ease.
 Internally, the Ascent Carry™ features 6 load-rated anchor points for securing tools and colour-coded loops at the base and top to manage your main and backup ropes easily.
 Constructed from Megatex™, the Ascent Carry™ is extremely durable and made to withstand harsh environments and forces. Megatex™ is up to 7 times more abrasion-resistant than premium military-grade fabric.
 The Ascent Carry™ features a durable water-resistant roll-top closure, that when used with the built-in compression straps secures the contents even when inverted.

FEATURES

Constructed of our highly abrasion-resistant and durable Megatex™
 Two load-rated lifting handles
 Packaway backpack straps and removable waistbelt to create snag-free silhouette when hauling
 Removable top ring allows the bag to be packed down for easy storage when not in use
 Reinforced and raised bottom panel with drainage hole
 Water-resistant roll-top closure
 6 integrated anchor points for multiple tool lanyard attachment
 Dual colour-coded loops at base and top to easily manage main and backup rope
 Clear window for including personal ID or to illustrate contents of the bag
 Internal zippered pocket to organise small items
 Full length load-rated external daisy chain for easily attaching items to the bag

TECHNICAL SPECIFICATION

Max Load: 100 KG / 220 LBS, Internal Anchor Point / Daisy Chain Max Load: 5 KG / 11 LBS (each)
 Safety Standards: ANSI/ISEA 121-2023, CE / UKCA, NS 9611:2022+AC
 Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor), Static (7:1 Safety Factor)
 NLG ID™ Technology / Scannable Compatible
 Unique Serial Number
 Dimensions: 57cm (H) x 32cm (W) x 32cm (D)
 Max Lanyard Length: 200 CM / 78 IN
 Capacity: 50 L

RETAIL

EAN (GTIN-13)
 5060572181502

UNIT WEIGHT (G)
 2600

SHIPPING

HTS CODE
 4202.92.9890
 HS CODE
 420292

COUNTRY OF ORIGIN
 Hong Kong



Ascent™ Carry
Product Code: 101730

View online

<https://neverletgo.com/products/ascent-carry/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030
neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
