

---

Univers	Professional
Type	Verticality
Category	Kits
Subcategory	Mobile fall arrester kits

---



## ASAP® KIT

The ASAP KIT fall-arrest kit is a pre-assembled and ready-to-use system. It includes an ASAP mobile fall arrester, an energy absorber, and two OK TRIACT-LOCK carabiners with CAPTIV positioning bar. This kit is available in three versions, depending on your needs and applications.

---

Short Description	Pre-assembled, ready-to-use fall-arrest system
-------------------	--

---

Selling Points	<ul style="list-style-type: none"><li>• Pre-assembled kit includes ASAP mobile fall arrester, energy absorber, and two OK TRIACT-LOCK carabiners; three versions available:<ul style="list-style-type: none"><li>- With ASAP'SORBER energy absorber 20 (B070DA00)</li><li>- With ASAP'SORBER energy absorber 40 (B070DA01)</li><li>- With ASAP'SORBER AXESS energy absorber (B070DA02)</li></ul></li><li>• Mobile fall arrester for rope:<ul style="list-style-type: none"><li>- Stops falls and uncontrolled descents that exceed two meters per second</li><li>- Blocks on the rope even if grabbed during the fall</li><li>- Works on vertical, horizontal, or angled rope</li><li>- Compatible with ropes 10 to 13 mm in diameter</li><li>- Toothed wheel is effective on a variety of rope conditions</li></ul></li><li>• Compact and easy to use:<ul style="list-style-type: none"><li>- Easy to install and remove at any point on the rope</li><li>- Moves up or down the rope without any manual operation</li></ul></li><li>• Applications:<ul style="list-style-type: none"><li>- Up to 140 kg, single person use with the ASAP'SORBER 20 or 40</li><li>- Up to 250 kg, two-person use in rescue scenarios with the ASAP'SORBER AXESS</li></ul></li></ul>
----------------	--

---

Specification	<ul style="list-style-type: none"><li>• Rope compatibility: 10 to 13 mm</li><li>• Certification(s): CE EN 12841 type A, CE EN 353-2</li><li>• CE EN 12841 type A when used with an ASAP'SORBER 20/40 or ASAP'SORBER AXESS energy absorber, and a CE EN 1891 type A 10 to 13 mm rope and an OK TRIACT-LOCK carabiner</li><li>• CE EN 353-2 when used with an ASAP'SORBER 20/40 or ASAP'SORBER AXESS energy absorber, an AXIS 11 mm rope with two sewn terminations and an OK TRIACT-LOCK carabiner</li></ul>
---------------	---

---

Specifications by reference

Reference(s)	B070DA00	B070DA01	B070DA02
			
	ASAP'SORBER 20	ASAP'SORBER 40	ASAP'SORBER AXESS
Guarantee	3 years	3 years	3 years
Made in	FR	FR	FR
Quantity Per Box	6	3	3
EAN	3342540855588	3342540855571	3342540855564

---

Related product(s)

ASAP®  
ASAP'SORBER  
ASAP'SORBER AXESS  
OK