


| | |
|-------------|-------------------------------------|
| Univers | Professional |
| Type | Verticality |
| Category | Mobile fall arresters |
| Subcategory | Absorbers for mobile fall arresters |




ASAP'SORBER

Designed for work at height, the ASAP'SORBER energy absorber is used in combination with an ASAP or ASAP LOCK mobile fall arrester. It allows you to work at a distance from the rope in order to protect it during certain work phases. Equipped with tear-webbing inside a pouch that opens and can be replaced, the absorber is protected from abrasion. It is available in two lengths to provide the best balance between reduced fall distance and distance from the rope.



ASAP'SORBER 20 is particularly useful for limiting potential fall distance.





ASAP'SORBER 40 is particularly useful for keeping the rope at a distance to free up work space.

| | |
|-------------------|--|
| Short Description | Compact energy absorber for ASAP or ASAP LOCK, for single-person use |
|-------------------|--|

| | |
|----------------|--|
| Selling Points | <ul style="list-style-type: none">• Must only be used with an ASAP or ASAP LOCK mobile fall arrester to make a fall-arrest system• Ultra compact, durable, and practical energy absorber:<ul style="list-style-type: none">- Flexible webbing allows it to efficiently follow the fall arrest device- Durable fabric pouch protects tear-webbing from abrasion and contaminants- Pouch can be opened to easily perform regular inspections- Pouch can be replaced if there is premature wear (ASAP'SORBER Pouch, SKU L071EC01, available as a spare part)• Limits the impact force experienced during a fall:<ul style="list-style-type: none">- Webbing tears progressively- Designed for a single user up to 140 kg• ASAP'SORBER 20 is particularly useful for minimizing potential fall distance• ASAP'SORBER 40 is particularly useful for freeing up work space• ASAP'SORBER 20 and 40 energy absorbers are designed for single-person use and must not be used for rescue |
|----------------|--|

| | |
|---------------|--|
| Specification | <ul style="list-style-type: none">• Certification(s): CE EN 355 used with ASAP or ASAP LOCK, ANSI Z359.13 6 feet, GB/T 24538• Material(s): Nylon, polyester |
|---------------|--|

Specifications by reference

| Reference(s) | L071AB00 | L071AB01 |
|------------------|---|---|
| |  |  |
| Length | 20 cm | 40 cm |
| Weight | 90 g | 100 g |
| Made in | FR | FR |
| Guarantee | 3 years | 3 years |
| Inner Pack Count | 1 | 1 |
| Quantity Per Box | 30 | 30 |
| EAN | 3342540850118 | 3342540850125 |

Accessory(ies) CAPTIV

Related product(s) ASAP®
 ASAP® LOCK
 OK
 Bm'D
 ASAP'SORBER AXESS