

DATASHEET

AMPURI WIND





GENERAL

| Art.Nr: | G-2000-W-M/L | S |
|------------------------|---------------|---|
| GTIN: | 4030281318729 | N |
| E-class number: | 40-21-04-01 | G |
| Customs tariff number: | 63079098 | |

| Standards: | EN 358:2018,EN 361: 2002,EN 813:2024 |
|---------------|---|
| Net weight: | 1.80 kg |
| Gross weight: | 2.10 kg |



DATASHEET

AMPURI WIND

The AMPURI WIND is the specialised version for wind turbines – designed for narrow climbs and harsh environmental conditions. The abrasion-resistant back plate reliably protects the webbing from wear on ladders and structures, while the ergonomic design ensures high comfort and freedom of movement. Ideal for wind energy technicians who rely on long-lasting safety, stability, and functionality. Certified to EN 361, EN 358, and EN 813, the AMPURI WIND offers maximum reliability in every application.

item number size body height hip circumference leg circumference G-2000-W-S/M S-M 140-165 cm 80-110 cm 41-85 cm G-2000-W-M/L M-L 165-185 cm 86-116 cm 44-88 cm G-2000-W-L/XL L-XL 185-200 cm 100-148 cm 50-94 cm

More information:

Discover the Ampuri series https://www.skylotec.com/eu_en/ampuri of our fall arrest and work positioning harness — your safety in every situation. Experience the harnesses interactively on our series overview page: animated features and videos show you how every detail contributes to maximum protection and comfort.

More info https://www.skylotec.com/eu_en/ampuri>

FEATURES

| Colour: | Black, Orange |
|---------------------------------|--|
| Attachment points: | Climbing protection polyamide attachment point, Dorsal aluminium attachment point, Side aluminium attachment point, Sit harness polyamide attachment point, Sternal polyamide attachment point, Restraint polyamide attachment point |
| Number of material loops 15 kg: | 2 |
| Harness features: | High-Strength Gear Loops, Lanyard parking ring, Wind plate |
| Maximum lifetime: | 10 years |
| Minimum body hight: | 165 cm |
| Maximum body hight: | 185 cm |
| Minimum hip size: | 86 cm |
| Maximum hip size: | 116 cm |
| Minimum leg size: | 44 cm |
| Maximum leg size: | 88 cm |
| Minimum temperature: | -35 °C |
| Maximum temperature: | 65 °C |
| Padding: | Leg paddings, Back padding, Shoulder paddings |
| Buckles: | click_buckle |



DATASHEET AMPURI WIND

Adjusting buckles: Adjusting buckles

Adjusting buckles legs, Adjusting buckles shoulders, Adjusting buckles hips

DIMENSIONS

Size: M-L

MATERIAL

Material: Aluminium, Nylon,

Aluminium, Nylon, Polyamide, Polyester, PVC, Thermoplastic polyurethane, Various