

DATASHEET

GRYPHON ASCENDER



GENERAL

Art.Nr:	G-1176-S/M	Standards:	EN 358:2018, EN 361:2002, EN 813:2008
GTIN:	8057733308981	Net weight:	2.20 kg
E-class number:	40-21-04-01	Gross weight:	2.25 kg
Customs tariff number:	63079098		

DATASHEET

GRYPHON ASCENDER

This ergonomic harness with six attachment points is optimized for rope work and comes with a triangular screw link and the CHEST ASCENDER+ chest ascender - ideal for efficient rope handling

The enveloping structure, wide hip belt with breathable padding and pre-shaped shoulder straps offer a high level of comfort during longer hikes. Leg loops with quick-release buckles and pressure relief in the groin, adjustable straps and a sternal EN 361 anchor point facilitate rescue operations. Lateral EN 358 attachment points can be folded inwards when not in use. A dorsal EN-361 attachment point prevents snagging, and there is also a retention point ("R") on the back.

Two eyelets for a positioning seat, an attachment point for the chest ascender, HOOK REST holders, four gear holders, six tool eyelets and four loops for carabiners round off the features. Load capacity up to 140 kg.

FEATURES

Colour:	Black, Orange
Attachment points:	Sternal aluminium attachment point, Dorsal steel attachment point, Side aluminium attachment point, Sit harness aluminium attachment point, Restraint polyester attachment point
Number of material loops 10 kg:	4
Harness features:	Lanyard parking ring, Integrated chest ascender
Hand wash:	40 °C
Maximum lifetime:	10 years
Minimum body hight:	160 cm
Maximum body hight:	185 cm
Minimum hip size:	60 cm
Maximum hip size:	80 cm
Minimum leg size:	45 cm
Maximum leg size:	55 cm
Minimum temperature:	-20 °C
Maximum temperature:	60 °C
Padding:	Back padding, Leg paddings, Shoulder paddings
Buckles:	stick_buckle, click_buckle

DATASHEET

GRYPHON ASCENDER

Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs
--------------------	--

DIMENSIONS

Size:	S-M
-------	-----

MATERIAL

Material:	Polyamide, Polyester, Polyethylene, Steel, Aluminium
-----------	--