

DATASHEET

ACTSAFE TCXII SEAL ASSAULT



GENERAL

Art.Nr:	POA-011
GTIN:	4030281297963
Customs tariff number:	84253100

Net weight:	14.00 kg
Gross weight:	14.00 kg

DATASHEET

ACTSAFE TCXII SEAL ASSAULT

All the TCXII rope ascenders feature an upgraded variable rope grab system for increased performance on approved ropes (available upon request). The Actsafe TCXII SEAL ASSAULT is designed to be used in a maritime environment and therefore watertight up to a depth of 10 m (33 ft) for a maximum of 4 hours (IP68). It comes with removable, chargeable batteries, and a remote control with a range of up to 150 m. - For tactical diving operations - 0-60 m/min at 150 kg - IP68 standard - For approved 6-11 mm ropes ****PURCHASE ONLY FOR POLICE AND MILITARY****

FEATURES

Battery range at 20° C & 100 kg load:	200 m
Application areas:	Various
Energy source:	Removeable Battery, POA-004 power supply
Colour:	Black
Underwater operations:	Yes
Water dust resistance:	IP 68
Charging time:	90 minutes
Maximum descent speed:	60 m/min
Max. ascent rate:	60 m/min
Maximum compatible rope diameter:	11.00 mm
Max. noise level:	76 dB(A)
Maximum temperature:	40 °C
Minimum descent speed:	1 m/min
Min. ascent rate:	1 m/min
Minimum compatible rope diameter:	6.00 mm
Min. noise level:	0 dB(A)
Minimum temperature:	-10 °C
Emergency descent function:	Yes
Emergency stop function:	No
Remote control range:	150 m

DIMENSIONS

DATASHEET

ACTSAFE TCXII SEAL ASSAULT

Working load limit:	150.00 kg
---------------------	-----------

MATERIAL

Material:	Steel, Aluminium, Nylon
-----------	----------------------------