

DATASHEET

ACTSAFE TCXII SEAL FORCE



GENERAL

Art.Nr:	POA-012	Net weight:	13.30 kg
GTIN:	4030281297970	Gross weight:	13.30 kg
Customs tariff number:	84253100		



DATASHEET

ACTSAFE TCXII SEAL FORCE

All the TCXII rope ascenders feature an upgraded variable rope grab system for increased performance on approved ropes (available upon request). The ActSafe TCXII SEAL FORCE is designed to be used in a maritime environment and therefore watertight up to a depth of 10 m (33 ft) for a maximum of 4 hours (IP68). It comes with removable, chargeable batteries, and a remote control with a range of up to 150 m. - For heavy lifting in a maritime environment - 0-24 m/min at 250 kg - IP68 standard - For approved 11 mm ropes **PURCHASE ONLY FOR **POLICE** AND MILITARY**

FEATURES

Dattami wanasa at 000 C 105 m

Battery range at 20° C & 100 kg load:	165 m	
Application areas:	Various	
Energy source:	Removeable Battery, POA-004 power supply	
Colour:	Black	
Underwater operations:	Yes	
Water dust resistance:	IP 68	
Charging time:	90 minutes	
Maximum descent speed:	24 m/min	
Max. ascent rate:	24 m/min	
Maximum compatible rope diameter:	11.00 mm	
Max. noise level:	76 dB(A)	
Maximum temperature:	40 °C	
Minimum descent speed:	1 m/min	
Min. ascent rate:	1 m/min	
Minimum compatible rope diameter:	6.00 mm	
Min. noise level:	0 dB(A)	
Minimum temperature:	-10 °C	
Emergency descent function:	Yes	
Emergency stop function:	No	
Remote control range:	150 m	

DIMENSIONS



DATASHEET

ACTSAFE TCXII SEAL FORCE

Working load limit: 250.00 kg

MATERIAL

Material: Steel, Aluminium,

Nylon